



Northeast Regional Office

CERTIFIED MAIL NO. 7013 1090 0000 8768 5186

January 27, 2014

Al Spaide
Fairview Township
65 Shady Tree Drive
Mountain Top, PA 18707

Re: Final NPDES Permit - MS4
Fairview Township MS4
NPDES Permit No. PA1132261
Authorization ID No. 1005304
Fairview Township, Luzerne County

Dear Mr. Spaide:

Your NPDES permit is enclosed. Please read the permit carefully. The permit expires on the date identified on page 1 of the permit. A renewal application must be submitted to this office 180 days prior to the permit expiration date, if a discharge is expected to continue past the expiration date of the permit.

Please note the reporting requirements of the NPDES permit. First term permittees and all permittees with any portion of a regulated small MS4 discharging stormwater into the Chesapeake Bay Watershed must submit all required information in annual reports. Renewal permittees with no portion of a regulated small MS4 discharging stormwater into the Chesapeake Bay Watershed must provide all required information in periodic progress reports submitted following permit years one (1) and three (3), and with the renewal application in year five (5). See Part B 3.d of the permit for specific requirements. **The first report due following permit issuance should cover the period from the end of the last annual reporting period (under the previous permit) to the end of the first year of permit coverage.** DEP's annual and progress report template can be found online by visiting www.elibrary.dep.state.pa.us and selecting "Forms", "Point and Non-Point Source Management", and "Municipal Separate Storm Sewer System MS4 Annual Progress Report".

For those MS4s that are required by Part C of the permit to submit TMDL Design Details and/or a Chesapeake Bay Pollutant Reduction Plan within one year of the effective date of this permit, permittees should utilize DEP's plan template, which can be found by visiting www.elibrary.dep.state.pa.us and selecting "Forms", "Point and Non-Point Source Management", and "Municipal Separate Storm Sewer System MS4 TMDL Plan - Chesapeake Bay Pollution Reduction Plan".

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office

2 Public Square | Wilkes-Barre, PA 18701-1915

570.826.2511 | Fax 570.830.3016

Printed on Recycled Paper A small circular logo with a recycling symbol inside.

www.depweb.state.pa.us

Mr. Al Spaide

- 2 -

January 27, 2014


Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717.787.3483. TDD users may contact the Board through the Pennsylvania Relay Service, 800.654.5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717.787.3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

IF YOU WANT TO CHALLENGE THIS ACTION, YOUR APPEAL MUST REACH THE BOARD WITHIN 30 DAYS. YOU DO NOT NEED A LAWYER TO FILE AN APPEAL WITH THE BOARD.

IMPORTANT LEGAL RIGHTS ARE AT STAKE, HOWEVER, SO YOU SHOULD SHOW THIS DOCUMENT TO A LAWYER AT ONCE. IF YOU CANNOT AFFORD A LAWYER, YOU MAY QUALIFY FOR FREE PRO BONO REPRESENTATION. CALL THE SECRETARY TO THE BOARD (717.787.3483) FOR MORE INFORMATION.

If you have any questions, please contact Paul Grella at 570.826.2045.

Sincerely,



Michael J. Brunamonti, P.E.
Environmental Program Manager
Clean Water Program

Enclosures

cc:

Central Office, Division of Operations, Monitoring and Data Systems
File (1)

3800-PM-BPNPSM0200f 2/2012

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTIONCOMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF POINT AND NON-POINT SOURCE MANAGEMENT

APPROVAL OF NPDES MS4 INDIVIDUAL PERMIT (IP) COVERAGE
UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
INDIVIDUAL PERMIT (IP)
FOR STORMWATER DISCHARGES FROM SMALL
MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4s)

NPDES PERMIT NO: PAI132261

In compliance with the provisions of the Clean Water Act, 33 U.S.C. Sections 1251 et seq. ("the Act") and Pennsylvania's Clean Streams Law, as amended, 35 P.S. Section 691.1 et seq., the Pennsylvania Department of Environmental Protection (DEP) hereby approves coverage for an NPDES MS4 Individual Permit pursuant to the application submitted by:

APPLICANT(S) (NAME AND ADDRESS):

WATERSHED(S):

Fairview Township
65 Shady Tree Drive
Mountain Top, PA 18707

5-B

to discharge stormwater to surface waters of the Commonwealth.


This approval to discharge is made subject to DEP's enclosed Authorization to Discharge Under the NPDES Individual Permit for Discharges of Stormwater from Small MS4s. **This Authorization is granted** based, in part, on information provided by the permittee in the IP Application. **The information provided by the person seeking the authorization, including all appendices, attachments, plans and supporting documentation, is incorporated by reference as a part of this Approval of NPDES MS4 IP Coverage and is enforceable as a condition of the authorization.** If there is a conflict between the permit and the IP Application, **including any appendices, attachments, plans and other supporting documentation, the more environmentally stringent provisions apply.**

THIS PERMIT SHALL BECOME EFFECTIVE ON FEBRUARY 1, 2014THIS PERMIT SHALL EXPIRE AT MIDNIGHT ON JANUARY 31, 2019

OR UPON TERMINATION OF THIS PERMIT IN WRITING BY DEP. TO CONTINUE DISCHARGING AFTER THE EXPIRATION DATE FOR COVERAGE UNDER THIS INDIVIDUAL PERMIT, AN ADMINISTRATIVELY COMPLETE AND ACCEPTABLE APPLICATION MUST BE RECEIVED BY DEP NO LATER THAN 180 DAYS PRIOR TO THE COVERAGE EXPIRATION DATE. (SEE ITEM #6 ON PAGE 1 OF THE AUTHORIZATION TO DISCHARGE FOR FURTHER INFORMATION).

DATE PERMIT ISSUED January 27, 2014

ISSUED BY


Michael J. Brunamonti, P.E.
Clean Water Program Manager
Northeast Regional Office